

3WAY CODINGS

Code A







3.2 ±0.1 14

Code B

1.4 ±0.1 15

Code C

1.4 ±0.1 16





NOTE:

1. THIS PART USED IN ASSEMBLY CHART.
2. USABLE CONTACTS MAK1.2(LEAR)/MCON1.2(TE)/MLK1.2(KOSTAL) .
3. MAX. WIRE SIZE RANGE 1.0 mm² FLR FOR CAVITY Ø3.5mm.
4. INTERFACE REFER TO USCAR-EWCAP 120-S-003-1-201/202.
5. 150 C°MAX. IS ONLY POSSIBLE IN COMBINATION WITH SILVER PLATED TAB.
- 130 C°MAX. IS POSSIBLE IN COMBINATION WITH TIN PLATED TAB.

C	E36539700	01	4	CONN Seal	SILICONE	(2.8)	Red	1
			3	TPA	PA66-GF25		Violet	1
			6	Inner Housing_Code C	PA66-GF30		Blue	1
			1	Outer Housing	PA66-GF25		Black	1
B	E35207900	01	4	CONN Seal	SILICONE	(2.8)	Red	1
			3	TPA	PA66-GF25		Violet	1
			5	Inner Housing_Code B	PA66-GF30		Nature	1
			1	Outer Housing	PA66-GF25		Black	1
A	E35207600	01	4	CONN Seal	SILICONE	(2.8)	Red	1
			3	TPA	PA66-GF25		Violet	1
			2	Inner Housing_Code A	PA66-GF30		Black	1
			1	Outer Housing	PA66-GF25		Black	1
Coding	SEM ASM Part Number	REV.	Item	Name	Material	Weight	Color	Q'TY

C		B		A		
REV.	ZONE	DESCRIPTION	CS/REL NO.	DATE	DESIGNED	CHECKED
1		NEW RELEASE		2022/05/10	JYC	JWG

GENERAL TOLERANCES DIN 18001 - xxx ISO 2768 - M		THE ENGLISH TRANSLATION IS BELIEVED TO BE ACCURATE. IN CASE OF DISCREPANCIES THE GERMAN VERSION SHALL GOVERN.		TAC PROJECT NUMBER	
ANGLE PROJECTION 		MATERIAL: _____ SEE TABLE FINISH / SURFACE: _____ SEE TABLE COLOR: _____ SEE TABLE		WEIGHT CAD: _____ SEE TABLE [g] [mm³]	
SCALE: _____ S:1		 LEAR CORPORATION		Lear Corporation 833 Jiangsu Road Yangpu District Shanghai, China	
START DATE: 2022/02/11 DRAIN: JYChen APPROVERS: _____ <i>W.H. Gu</i>				TITLE Conn_3way_F_MAK1.2_Sealed	
DRW FILE NAME: _____ LAST UPDATE 2022/05/10		CAD DIRECTORY / CAD LOCATION: _____ MODEL FILE NAME: _____ SEM DOCUMENT ID / DRAWING NUMBER D00573468		SHEET 01 OF 1 TYPE CG	
CONFIDENTIAL - THIS DRAWING AND ALL INFORMATION DISCLOSED HEREIN ARE OWNED BY LEAR CORPORATION AND ARE NOT TO BE DISTRIBUTED OR DISSEMINATED IN ANY MANNER UNLESS EXPRESSLY AUTHORIZED IN WRITING BY LEAR CORPORATION.					

> 120	NA
> 70 ≤ 120	±1.0
> 40 ≤ 70	±0.8
> 20 ≤ 40	±0.5
> 6 ≤ 20	±0.3
≤ 6	±0.2
Angle	±3°
General tolerance for nominal dimensions without specified tolerance	
TOLERANCE CHART	